







Exit Devices - Grade 1, Standard Duty

STANLEY Commercial Hardware QED300 Series Exit Device VS Falcon 19 Series	 STANLEY Commercial Hardware	  FALCON
Certification	STANLEY QED300	Falcon 19 Series
ANSI/BHMA A156.3 Grade 1	Yes	Yes
UL/cUL "A" label single-door 3 hours	Yes	No
UL10C/UBC 7-2 Positive Pressure Rated	Yes	Check with Manufacturer
UL10B Pressure Rated	Yes	Check with Manufacturer
UL305 for Panic Hardware	Yes	Check with Manufacturer
ANSI A117.1 Accessibility Code (ADA)	Yes	Check with Manufacturer
Life safety code NFPA 101	Yes	Yes
Fire door and window code NFPA80	Yes	Yes
Warranty	STANLEY QED300	Falcon 19 Series
Finish Warranty	3-Year	None
Mechanical Warranty	Lifetime	10 Years
Features	STANLEY QED300	Falcon 19 Series
Types of Devices	Rim, SVR	Rim, SVR
Vandal Resistant option	No	No
Handing	Non-handed	Non-handed
Door thickness	1-3/4"	1-3/4"
Latch Bolt Projection	STS 3/4"	STS 3/4"
Fasteners	Wood, Machine Standard. Sex Bolts Optional	Machine Standard, Sex Bolts Optional
Dogging Feature	Hex Key & Cylinder	Hex Key & Cylinder
Mechanical Functions	9	7
Removable Mullions	1	1
Lever Trim Options	2	4
Pull Trim Options	6	
Finishes	STANLEY QED300	Falcon 19 Series
Finishes	689, 690	689, 695, 630

This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

Exit Devices - Grade 1, Standard Duty




STANLEY Commercial Hardware QED300 Series Exit Device VS HAGER 4700 Series	 STANLEY Commercial Hardware	 
Certification	STANLEY QED300	Hager 4700
ANSI/BHMA A156.3 Grade 1	Yes	Yes
UL/cUL "A" label single-door 3 hours	Yes	Yes
UL10C/UBC 7-2 Positive Pressure Rated	Yes	Yes
UL10B Pressure Rated	Yes	Yes
UL305 for Panic Hardware	Yes	Yes
ANSI A117.1 Accessibility Code (ADA)	Yes	Check with Manufacturer
Life safety code NFPA 101	Yes	Check with Manufacturer
Fire door and window code NFPA80	Yes	Check with Manufacturer
Warranty	STANLEY QED300	Hager 4700
Finish Warranty	3-Year	None
Mechanical Warranty	Lifetime	5-Year
Features	STANLEY QED300	Hager 4700
Types of Devices	Rim, SVR	Rim, SVR
Vandal Resistant option	No	No
Handing	Non-handed	Non-handed
Door thickness	1-3/4"	1 3/4"
Latch Bolt Projection	STS 3/4"	3/4"
Fasteners	Wood, Machine Standard. Sex Bolts Optional	Wood, Machine Standard, Thru-Bolts Optional
Dogging Feature	Hex Key & Cylinder	Hex Key & Cylinder
Mechanical Functions	9	
Removable Mullions	1	1
Lever Trim Options	2	3
Pull Trim Options	6	4
Finishes	STANLEY QED300	Hager 4700
Finishes	689, 690	605, US32D, ALM, DBZ

This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

© 2014 Stanley Security Solutions, Inc.



STCH-0111 • 5/14

Exit Devices - Grade 1, Standard Duty

STANLEY Commercial Hardware QED300 Series Exit Device VS Arrow 1000 Series	 STANLEY Commercial Hardware	 ASSA ABLOY 
Certification	STANLEY QED300	Arrow 1000
ANSI/BHMA A156.3 Grade 1	Yes	Yes
UL/cUL "A" label single-door 3 hours	Yes	Yes
UL10C/UBC 7-2 Positive Pressure Rated	Yes	Yes
UL10B Pressure Rated	Yes	Check with Manufacturer
UL305 for Panic Hardware	Yes	Check with Manufacturer
ANSI A117.1 Accessibility Code (ADA)	Yes	Check with Manufacturer
Life safety code NFPA 101	Yes	Yes
Fire door and window code NFPA80	Yes	Yes
Warranty	STANLEY QED300	Arrow 1000
Finish Warranty	3-Year	None
Mechanical Warranty	Lifetime	3-Year
Features	STANLEY QED300	Arrow 1000
Types of Devices	Rim, SVR	Rim, SVR
Vandal Resistant option	No	No
Handing	Non-handed	Non-handed
Door thickness	1-3/4"	1 3/4"
Latch Bolt Projection	STS 3/4"	3/4"
Fasteners	Wood, Machine Standard. Sex Bolts Optional	Wood, Machine Standard, Thru-Bolts Optional
Dogging Feature	Hex Key & Cylinder	Hex Key & Cylinder
Mechanical Functions	9	9
Removable Mullions	1	1
Lever Trim Options	2	3
Pull Trim Options	6	5
Finishes	STANLEY QED300	Arrow 1000
Finishes	689, 690	ALM, BRZ, LBZ




This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

Exit Devices - Grade 1, Standard Duty

STANLEY Commercial Hardware QED300 Series Exit Device VS Sargent 30 Series	 STANLEY Commercial Hardware	 ASSA ABLOY SARGENT
Certification	STANLEY QED300	Sargent 30
ANSI/BHMA A156.3 Grade 1	Yes	Yes
UL/cUL "A" label single-door 3 hours	Yes	Yes
UL10C/UBC 7-2 Positive Pressure Rated	Yes	Yes
UL10B Pressure Rated	Yes	No
UL305 for Panic Hardware	Yes	Check with Manufacturer
ANSI A117.1 Accessibility Code (ADA)	Yes	Check with Manufacturer
Life safety code NFPA 101	Yes	Yes
Fire door and window code NFPA80	Yes	Yes
Warranty	STANLEY QED300	Sargent 30
Finish Warranty	3-Year	None
Mechanical Warranty	Lifetime	3-Year
Features	STANLEY QED300	Sargent 30
Types of Devices	Rim, SVR	Rim, SVR
Vandal Resistant option	No	No
Handing	Non-handed	Non-handed
Door thickness	1-3/4"	1 3/4" Standard
Latch Bolt Projection	STS 3/4"	3/4"
Fasteners	Wood, Machine Standard. Sex Bolts Optional	Wood, Machine Standard, Thru-Bolts Optional
Dogging Feature	Hex Key & Cylinder	Hex Key & Cylinder
Mechanical Functions	9	7
Removable Mullions	1	1
Lever Trim Options	2	3
Pull Trim Options	6	4
Finishes	STANLEY QED300	Sargent 30
Finishes	689, 690	605, 606, 612, 613, Dk Bronze, 626, 689, 691, 693, 696



This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

Exit Devices - Grade 1, Standard Duty

STANLEY Commercial Hardware QED300 Series Exit Device VS Dorma 8000 Series	 STANLEY Commercial Hardware	 
Certification	STANLEY QED300	Dorma 8000
ANSI/BHMA A156.3 Grade 1	Yes	Yes
UL/cUL "A" label single-door 3 hours	Yes	Yes
UL10C/UBC 7-2 Positive Pressure Rated	Yes	Yes
UL10B Pressure Rated	Yes	No
UL305 for Panic Hardware	Yes	Check with Manufacturer
ANSI A117.1 Accessibility Code (ADA)	Yes	Yes
Life safety code NFPA 101	Yes	Yes
Fire door and window code NFPA80	Yes	Yes
Warranty	STANLEY QED300	Dorma 8000
Finish Warranty	3-Year	None
Mechanical Warranty	Lifetime	5-Year
Features	STANLEY QED300	Dorma 8000
Types of Devices	Rim, SVR	Rim, SVR
Vandal Resistant option	No	No
Handing	Non-handed	Non-handed
Door thickness	1-3/4"	1 3/4" - 2 1/4"
Latch Bolt Projection	STS 3/4"	3/4"
Fasteners	Wood, Machine Standard. Sex Bolts Optional	Wood, Machine Standard, Sex Bolts Optional
Dogging Feature	Hex Key & Cylinder	Cylinder
Mechanical Functions	9	9
Removable Mullions	1	2
Lever Trim Options	2	3
Pull Trim Options	6	4
Finishes	STANLEY QED300	Dorma 8000
Finishes	689, 690	689, 691, 693, 695, 696

This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

Exit Devices - Grade 1, Standard Duty

STANLEY Commercial Hardware QED300 Series Exit Device VS Cal Royal 2200 Series	 STANLEY Commercial Hardware	 CAL-ROYAL <small>PRODUCTS, INC.</small>
Certification	STANLEY QED300	Cal Royal 2200
ANSI/BHMA A156.3 Grade 1	Yes	Yes
Tested cycles	500,000	Unknown
UL/cUL "A" label single-door 3 hours	Yes	Yes
UL10C/UBC 7-2 Positive Pressure Rated	Yes	Yes
UL10B Pressure Rated	Yes	No
UL305 for Panic Hardware	Yes	Check with Manufacturer
ANSI A117.1 Accessibility Code (ADA)	Yes	Yes
Life safety code NFPA 101	Yes	Yes
Fire door and window code NFPA80	Yes	Yes
Warranty	STANLEY QED300	Cal Royal 2200
Finish Warranty	3-Year	None
Mechanical Warranty	Lifetime	Lifetime
Features	STANLEY QED300	Cal Royal 2200
Types of Devices	Rim, SVR	Rim, SVR
Vandal Resistant option	No	No
Handing	Non-handed	Non-handed
Door thickness	1-3/4"	1 3/4" standard, 2 1/4" Optional
Latch Bolt Projection	STS 3/4"	3/4"
Fasteners	Wood, Machine Standard. Sex Bolts Optional	Wood, Machine
Dogging Feature	Hex Key & Cylinder	Hex Key & Cylinder
Mechanical Functions	9	Check with Manufacturer
Removable Mullions	1	1
Lever Trim Options	2	1
Pull Trim Options	6	4
Finishes	STANLEY QED300	Cal Royal 2200
Finishes	689, 690	Alum, Dark Bronze, Gold

This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

© 2014 Stanley Security Solutions, Inc.

STCH-0113 • 5/14