







Mortise Locks

STANLEY Commercial Hardware QMS/QME100 Series VS Arrow BW Series	 STANLEY Commercial Hardware	 ASSA ABLOY 
Certifications	STANLEY QMS/QME 100	Arrow BM Series
ANSI/BHMA A156.13 Operational Grade 1	Yes	Yes
ANSI/BHMA A156.13 Security Grade 1	Yes	Yes
ADA Compliant	Yes	Yes
UL10B Pressure Rated	Yes	Yes
UL10C Positive Pressure Rated	Yes	Yes
California Fire Marshall listed	Yes	Yes
Warranty	STANLEY QMS/QME 100	Arrow BM Series
Finish Warranty	3-Year	None
Mechanical Warranty	Lifetime	5 years
Product Features	STANLEY QMS/QME 100	Arrow BM Series
Handing	Field Reversible	Field Reversible
Clutching Mechanism	Yes	No
Case	Heavy Gage Steel	Heavy Gauge steel
Faceplate	Heavy Gage Steel	Heavy Gage Steel
Trim	Solid Forged Brass	Brass, Bronze, or Stainless Steel
Latchbolt	Anti-Friction Stainless Steel	3/4" Anti-Friction Stainless Steel
Deadbolt	Stainless Steel 1" Throw	Stainless Steel 1" Throw
Self Aligning Trim	Yes	Yes
Through Bolt Design	Yes	Yes
Door Thickness Sectional	1-3/4" - 2" Standard	1-3/4" Standard
Door Thickness Escutcheon	1 3/4" - 2 1/4" Standard	1-3/4" Standard
Options	STANLEY QMS/QME 100	Arrow BM Series
Mechanical Functions	15	29
Electrical Functions	No	2
Lever Trim	2	7
Escutcheon Trim	1	2
Finishes	605, 606, 613, 619, 625, 626	605, 606, 612,613, 625, 626, 629, 630
Keying Options	STANLEY QMS/QME 100	Arrow BM Series
Cylinder	6 or 7 Pin Cylinders	6 or 7 Pin Cylinders
Interchangeable Core	Yes	Yes




This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

Mortise Locks

STANLEY Commercial Hardware QMS/QME 100 Series VS Hager 3800 Series	 STANLEY Commercial Hardware	 
Certifications	STANLEY QMS/QME 100	Hager 3800 Series
ANSI/BHMA A156.13 Operational Grade 1	Yes	Yes
ANSI/BHMA A156.13 Security Grade 1	Yes	Yes
ADA Compliant	Yes	Yes
UL10B Pressure Rated	Yes	Yes
UL10C Positive Pressure Rated	Yes	Yes
California Fire Marshall listed	Yes	Check with Manufacturer
Warranty	STANLEY QMS/QME 100	Hager 3800 Series
Finish Warranty	3-Year	No
Mechanical Warranty	Lifetime	Lifetime
Product Features	STANLEY QMS/QME 100	Hager 3800 Series
Handing	Field Reversible	Field Reversible
Clutching Mechanism	Yes	Yes
Case	Heavy Gage Steel	Heavy Gage Steel
Faceplate	Heavy Gage Steel	Heavy Gage Steel
Trim	Solid Forged Brass	Brass, zinc, or stainless steel
Latchbolt	Anti-Friction Stainless Steel	Stainless Steel 3/4" throw
Deadbolt	Stainless Steel 1" Throw	1" throw, stainless steel
Self Aligning Trim	Yes	Yes
Through Bolt Design	Yes	Yes
Door Thickness Sectional	1-3/4" - 2" Standard	1 3/4" - 2 1/2"
Door Thickness Escutcheon	1 3/4" - 2 1/4" Standard	1 3/4" - 2 1/2"
Options	STANLEY QMS/QME 100	Hager 3800 Series
Mechanical Functions	15	15
Electrical Functions	No	No
Lever Trim	2	4
Escutcheon Trim	1	1
Finishes	605, 606, 613, 619, 625, 626	605, 606, 612, 613, 625, 626, 630
Keying Options	STANLEY QMS/QME 100	Hager 3800 Series
Cylinder	6 or 7 Pin Cylinders	6 or 5 Pin Cylinders
Interchangeable Core	Yes	Yes




This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

Mortise Locks

STANLEY Commercial Hardware QMS/QME 100 Series VS Falcon MA Series	 STANLEY Commercial Hardware	  FALCON
Certifications	STANLEY QMS/QME 100	Falcon MA Series
ANSI/BHMA A156.13 Operational Grade 1	Yes	Yes
ANSI/BHMA A156.13 Security Grade 1	Yes	Yes
ADA Compliant	Yes	Yes
UL10B Pressure Rated	Yes	Yes
UL10C Positive Pressure Rated	Yes	Yes
California Fire Marshall listed	Yes	Yes
Warranty	STANLEY QMS/QME 100	Falcon MA Series
Finish Warranty	3-Year	None
Mechanical Warranty	Lifetime	10-Year
Product Features	STANLEY QMS/QME 100	Falcon MA Series
Handing	Field Reversible	Field Reversible
Clutching Mechanism	Yes	Yes
Case	Heavy Gage Steel	Cold Formed Steel, Zinc Dichromatic
Faceplate	Heavy Gage Steel	Brass or Stainless Steel, Heavy Gage Steel
Trim	Solid Forged Brass	Brass or Stainless Steel
Latchbolt	Anti-Friction Stainless Steel	Two-piece stainless steel
Deadbolt	Stainless Steel 1" Throw	Stainless steel 1" throw
Self Aligning Trim	Yes	Yes
Through Bolt Design	Yes	Yes
Door Thickness Sectional	1-3/4" - 2" Standard	1-3/8" to 2-1/2"
Door Thickness Escutcheon	1 3/4" - 2 1/4" Standard	1-3/8" to 2-1/2"
Options	STANLEY QMS/QME 100	Falcon MA Series
Mechanical Functions	15	22
Electrical Functions	No	4
Lever Trim	2	4
Escutcheon Trim	1	1
Finishes	605, 606, 613, 619, 625, 626	Check with Manufacturer
Keying Options	STANLEY QMS/QME 100	Falcon MA Series
Cylinder	6 or 7 Pin Cylinders	Brass. 5,6,7 pin available
Interchangeable Core	Yes	Yes



This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

Mortise Locks

STANLEY Commercial Hardware QMS/QME 100 Series VS PDQ MR Series	 STANLEY Commercial Hardware	 
Certifications	STANLEY QMS/QME 100	PDQ MR Series
ANSI/BHMA A156.13 Operational Grade 1	Yes	Yes
ANSI/BHMA A156.13 Security Grade 1	Yes	Yes
ADA Compliant	Yes	Yes
UL10B Pressure Rated	Yes	Yes
UL10C Positive Pressure Rated	Yes	Yes
California Fire Marshall listed	Yes	Check with Manufacturer
Warranty	STANLEY QMS/QME 100	PDQ MR Series
Finish Warranty	3-Year	None
Mechanical Warranty	Lifetime	Lifetime
Specifications	STANLEY QMS/QME 100	PDQ MR Series
Handing	Field Reversible	Handed-reversible in field
Clutching Mechanism	Yes	No
Case	Heavy Gage Steel	13 Gauge Cold Rolled Steel
Faceplate	Heavy Gage Steel	Brass, Stainless Steel
Trim	Solid Forged Brass	Solid Forged Brass
Latchbolt	Anti-Friction Stainless Steel	3/4" Cast Stainless Steel Throw
Deadbolt	Stainless Steel 1" Throw	1" Cast Stainless Steel Throw
Self Aligning Trim	Yes	Yes
Through Bolt Design	Yes	Yes
Door Thickness Sectional	1-3/4" - 2" Standard	1-3/4" - 2" Standard
Door Thickness Escutcheon	1 3/4" - 2 1/4" Standard	1-3/4" - 2" Standard
Options	STANLEY QMS 100	PDQ MR Series
Mechanical Functions	15	33
Electrical Functions	No	2
Lever Trim	2	5
Escutcheon Trim	1	1
Finishes	605, 606, 613, 619, 625, 626	605, 606, 612, 613, 625, 626
Keying Options	STANLEY QMS/QME 100	PDQ MR Series
Cylinder	6 or 7 Pin Cylinders	6 or 7-Pin Cylinder
Interchangeable Core	Yes	Yes



This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

Mortise Locks

STANLEY Commercial Hardware QMS/QME 100 Series VS Cal Royal MN Series	 STANLEY Commercial Hardware	 CAL-ROYAL PRODUCTS, INC.
Certifications	STANLEY QMS/QME 100	Cal Royal NM Series
ANSI/BHMA A156.13 Operational Grade 1	Yes	Yes
ANSI/BHMA A156.13 Security Grade 1	Yes	Yes
ADA Compliant	Yes	Yes
UL10B Pressure Rated	Yes	No
UL10C Positive Pressure Rated	Yes	Yes
California Fire Marshall listed	Yes	Check with Manufacturer
Warranty	STANLEY QMS/QME 100	Cal Royal NM Series
Finish Warranty	3-Year	None
Mechanical Warranty	Lifetime	Lifetime
Specifications	STANLEY QMS/QME 100	Cal Royal NM Series
Handing	Field Reversible	Field Reversible
Clutching Mechanism	Yes	No
Case	Heavy Gage Steel	Heavy Gage Steel
Faceplate	Heavy Gage Steel	Heavy Gage Steel
Trim	Solid Forged Brass	Solid Brass, Zinc, or Stainless Steel
Latchbolt	Anti-Friction Stainless Steel	3/4" Anti-Friction Stainless Steel
Deadbolt	Stainless Steel 1" Throw	1" Throw
Self Aligning Trim	Yes	Check with Manufacturer
Through Bolt Design	Yes	Check with Manufacturer
Door Thickness Sectional	1-3/4" - 2" Standard	1 3/4" Standard
Door Thickness Escutcheon	1 3/4" - 2 1/4" Standard	1 3/4" Standard
Options	STANLEY QMS 100	Cal Royal MN Series
Mechanical Functions	15	33
Electrical Functions	No	3
Lever Trim	2	8
Escutcheon Trim	1	1
Finishes	605, 606, 613, 619, 625, 626	605, 606, 612, 613, 625, 626
Keying Options	STANLEY QMS/QME 100	Cal Royal NM Series
Cylinder	6 or 7 Pin Cylinders	6-Pin Cylinder
Interchangeable Core	Yes	Yes

This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

Mortise Locks

STANLEY Commercial Hardware QMS/QME 100 Series VS Sargent 8200 Series	 STANLEY Commercial Hardware	 ASSA ABLOY SARGENT
Certifications	STANLEY QMS/QME 100	Sargent 8200 Series
ANSI/BHMA A156.13 Operational Grade 1	Yes	Yes
ANSI/BHMA A156.13 Security Grade 1	Yes	Yes
ADA Compliant	Yes	Yes
UL10B Pressure Rated	Yes	No
UL10C Positive Pressure Rated	Yes	Yes
California Fire Marshall listed	Yes	Yes
Warranty	STANLEY QMS/QME 100	Sargent 8200 Series
Finish Warranty	3-Year	None
Mechanical Warranty	Lifetime	10-Year
Specifications	STANLEY QMS/QME 100	Sargent 8200 Series
Handing	Field Reversible	Field Reversible
Clutching Mechanism	Yes	Yes
Case	Heavy Gage Steel	Heavy Gage Steel
Faceplate	Heavy Gage Steel	Heavy Gage Steel
Trim	Solid Forged Brass	Solid Brass, Bronze, or Stainless Steel
Latchbolt	Anti-Friction Stainless Steel	3/4" Anti-Friction Stainless Steel
Deadbolt	Stainless Steel 1" Throw	Investment Cast Stainless Steel
Self Aligning Trim	Yes	Yes
Through Bolt Design	Yes	Yes
Door Thickness Sectional	1-3/4" - 2" Standard	1 3/4" Standard
Door Thickness Escutcheon	1 3/4" - 2 1/4" Standard	1 3/4" Standard
Options	STANLEY QMS 100	Sargent 8200 Series
Mechanical Functions	15	52
Electrical Functions	No	8
Lever Trim	2	8
Escutcheon Trim	1	4
Finishes	605, 606, 613, 619, 625, 626	605,606, 611, 612, 613, 618, 619, 625, 626, 629, 630
Keying Options	STANLEY QMS/QME 100	Sargent 8200 Series
Cylinder	6 or 7 Pin Cylinders	6 or 7 Pin Cylinders
Interchangeable Core	Yes	Yes

This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy